登録番号	病名	レジメン名	薬剤名	投与量	投与日	1コース日数	1	2 3	4	5 6	7	8 9	10	11	12 1	.3 14	4 15	16	17 18	19	20	21 2	22 23	24	25	26 2	7 28	3 29	30	31 :	32 3	34	35	36 37	/ 38	39 40	41 42
03-001	乳癌	DOC	ドセタキセル	60 mg/m ²	D1		•															終												_			
			(p.o) デカドロン	8 mg	D1-D3	3週毎	•	• •	++					H								終		1 1		1		+			-			+	\vdash	\vdash	
			(d.i.v) デキサート	6.6 mg	D1		•															終		T		1		+						\vdash	T		
03-003	乳癌	トラスツズマプBS	トラスツズマプBS	初回:8 mg/kg 2回目以降:6 mg/kg	D1		•															終															
		+DOC	ドセタキセル	60 mg/m ²	D1	3週毎	•															終				1		1						\top	T	_	
			(p.o) デカドロン	8 mg	D1-D3	3迴毋		• •	H	-																1					-	1		+	+		
			(d.i.v) デキサート	6.6 mg	D1		•		t t													終												\top	T	\exists	
03-007	乳癌	PTX	パクリタキセル	80 mg/m ²	D1、D8、D15		•					•					•										終	Ž.									
			(d.i.v) ガスター	20 mg	D1 D0 D1F	4週毎	•					•															4.6	,									
			ポララミン デキサート	5 mg 6.6 mg	D1、D8、D15							•															称	"									
03-010	乳癌	トラスツズマプBS	トラスツズマブBS	初回:8 mg/kg 2回目以降:6 mg/kg	D1	3週毎	•															終															
		+VNB	ロゼウス	25 mg/m ²	D1、D8	3週世	•					•										終						Ť							\Box		
03-011	乳癌	nabPTX	アブラキサン	260 mg/m ²	D1	3週毎	•															終															
			(d.i.v) デキサート	6.6 mg	D1	3週#	•															終															
03-012	乳癌	AC	ドキソルビシン	60 mg/m ²	D1		•															終													П		
			エンドキサン	600 mg/m ²	D1		•															終															
			(p.o) アプレビタント		D1-D3	3週毎	•	• •														終															
			(p.o) デカドロン	8 mg	D2-D4			• •	•													終															
			(d.i.v) パロノセトロン デキサート	0.75 mg 9.9 mg	D1		•															終															
03-016	乳癌	CPT-11単独	イリノテカン	100 mg/m ²	D1、D8、D15、	6週毎	•					•					•						•										紋				
					D22	(4投2休)						_																					ルミ				
			(p.o) アプレビタント		D1-D3			• •																				1					終	4		4	
			(p.o) デカドロン	4 mg	D2-D4			• •	•					Ш										Ш		_	_	4					終	4	\bot		$oxed{oxed}$
			(d.i.v) パロノセトロン デキサート	0.75 mg 4.95 mg	D1		•																										終				
03-017	乳癌	FEC100	エピルビシン	100 mg/m ²	D1		•															終													П		
			エンドキサン	500 mg/m ²	D1		•															終													П		
			フルオロウラシル	500 mg/m ²	D1	3週毎	•															終													П		
			(p.o) アプレビタント		D1-D3	術前:4コース施行 術後:6コース施行	•	• •														終															
			(p.o) デカドロン	8 mg	D2-D4			• •	•													終													Ш		
			(d.i.v) パロノセトロン デキサート	0.75 mg 9.9 mg	D1		•															終															
03-018	乳癌	GEM	ジェムザール	1250 mg/m ²	D1、D8	3週毎	•					•										終															
			(d.i.v) デキサート	6.6 mg	D1、D8	2投1休	•					•										終															
03-019	乳癌	TC	ドセタキセル	60 mg/m ²	D1		•															終															
			エンドキサン	600 mg/m ²	D1	20円左	•															終															
			(p.o) デカドロン	8 mg	D1-D3	3週毎	•	• •														終															
			(d.i.v) パロノセトロン デキサート	0.75 mg 9.9 mg	D1		•															終															
03-020	乳癌	VNB	ナベルビン	25 mg/m ²	D1、D8	3週毎 (2投1休)	•					•										終															
03-022	乳癌	トラスツズマブBS	トラスツズマブBS	初回:8 mg/kg 2回目以降:6 mg/kg	D1	3週毎 術後1年間	•															終															
03-025	乳癌	トラスツズマプBS	トラスツズマプBS	初回:8 mg/kg	D1	10002 110	•															終													\mathbf{H}		
		+ハラヴェン	ハラヴェン	2回目以降:6 mg/kg	D1、D8	3週毎	•	-	H	-	+	•	+	H	+	+	+		-		+	終	+	+	-	+	+	+	+	+	_	+	-	+	$oldsymbol{+}$	+	\vdash
			(d.i.v) デキサート	1.4 mg/m ² 6.6 mg	D1、D8		-	-	H	-		•	+	H	+	+	+		-		_	紋	+	+	-	+	+	+	+	+	_	+	-	+	$oldsymbol{+}$	+	\vdash
03-026	乳癌	ハラヴェン単独	ハラヴェン	1.4 mg/m ²	D1, D8		•		+++			•						-			-	終			-	+	+	+				+	-	+	+	+	+
00 020	10/14	,,=,-,,	(d.i.v) デキサート	6.6 mg	D1、D8	3週毎	•	-	H	-		•		+					-			終	-	1 1		+		+	1 1		-	+		+	+	+	\vdash
03-028	乳癌	PTX+アバスチン	パクリタキセル	90 mg/m ²	D1, D8, D15		•				_	•		H			•							\Box			80	ζ.				H			\blacksquare		
			アバスチン	10 mg/kg	D1、D15	4 >= 5	•				H			H			•				\vdash						終								H		\vdash
			(d.i.v) ガスター	20 mg		4 週毎					Ħ			Ħ			+								1								1		П		
			ポララミン デキサート	5 mg 6.6 mg	D1、D8、D15		•					•					•										終	**									

登録番号	病名	レジメン名	薬剤名	投与量	投与日	1コース日数	1	2 3	4	5	6 7	8	9 1	.0 11	12	13	14 1	5 16	17 1	3 19	20 2	21 22	23	24	25 2	6 27	28	29	30 3	1 32	33	34	35 3	36 37	38	39 40	0 41	42
03-029	乳癌	トラスツズマプBS	トラスツズマブBS	初回:8 mg/kg	D1		•														Í	佟							T				T	_	Ħ	Ħ	T	Ħ
		+GEM	ジェムザール	2回目以降: 6 mg/kg 1250 mg/m ²	D1、D8	3週毎	•					•									á	佟			-				+				_	+	+	\pm	+	+
			(d.i.v) デキサート	6.6 mg	D1, D8		•					•										佟			-				+				_	+	+	\pm	+	\mathbf{H}
03-030	乳癌	パージェタ		初回:840 mg/body	84																	. 6													П			
		+トラスツズマブBS	パージェタ	2回目以降: 420 mg/body	D1		•														ñ	100																
		+DOC	トラスツズマプBS	初回:8 mg/kg 2回目以降:6 mg/kg	D1	20円左	•														ÝÍ.	佟																
			ドセタキセル	75 mg/m ²	D1	3週毎	•											\top			ň	佟			\top				\vdash						Ħ		+	
			(p.o) デカドロン	8 mg	D1-D3		• (• •													ń	佟							\vdash						Ħ		T	
			(d.i.v) デキサート	6.6 mg	D1		•														ň	佟																
03-031	乳癌	パージェタ	パージェタ	初回:840 mg/body 2回目以降:	D1		•														4	次																
		+トラスツズマプBS	V. 2±2	420 mg/body	<i>D</i> 1													_			,	1/												┷	Ш		4	
		+PTX	トラスツズマブBS	初回:8 mg/kg 2回目以降:6 mg/kg	D1	3週毎	•														ń	佟														.		
			パクリタキセル	80 mg/m ²	D1、D8、D15	5,6,4	•					•					•				ň	佟																
			(d.i.v) ガスター ポララミン	20 mg	D1 D0 D1E		•					•					•				4	坟																
			ホラフミン デキサート	5 mg 6.6 mg	D1、D8、D15							_						_			И	27.							\perp								┸	
03-032	乳癌	カドサイラ	カドサイラ	3.6 mg /kg	D1	3週毎	•														ň	佟							4				4		Ш	4	4	
			(d.i.v) デキサート	6.6 mg	D1		•														ň	佟							4				4	4	44		4	4
03-034	乳癌	CMF	メソトレキセート	40 mg/m ²	D1、D8		•				_	•													_		終		_				_	_	\sqcup		4	Ш
			フルオロウラシル	600 mg/m ²	D1、D8		•				_	•													_		終		_				_	_	\sqcup		4	Ш
			(p.o) エンドキサン	1.5 m ² >: 100mg		4週毎	•	• •	•	•	• •	•	•	•	•	•	•										終									.		
				1.5 m ² ≦: 150mg			<u> </u>						_							\perp					_		44		+		_		\rightarrow	+	\vdash	\dashv	+	Ш
			(p.o) デカドロン (d.i.v) パロノセトロン	8 mg 0.75 mg	D2-D3、D9-D10			• •	\vdash			+	• (_	+										_		終		+		-		+	+	₩	+	+	+
			デキサート	6.6 mg	D1、D8		•					•															終						_		Ш	_	_	Ш
03-035	乳癌	dose-dense AC	ドキソルビシン	60 mg/m ²	D1		•									_	終	_							_	_			4				_	4	\sqcup		4	
			エンドキサン	600 mg/m ²	D1		•									-	終	_							_	_			4				_	4	\sqcup		4	
			(p.o) アプレビタント		D1-D3	2週毎		• •		_	_	1		_			終								_	-			4		-		\rightarrow	4	\vdash	_	4	
			(p.o) デカドロン (d.i.v) パロノセトロン	8 mg 0.75 mg	D2-D4		-	• •	•	_	_					\vdash	終	-		+					-	-			-		-		+	+	\vdash	+	+	\blacksquare
			デキサート	9.9 mg	D1		•										終												4				4	4	44	_	4	
03-036	乳癌	dose-dense PTX	パクリタキセル	175 mg/m ²	D1		•										終										Ш		\perp				4		Ш		4	Ш
			(d.i.v) ガスター ポララミン	20 mg 5 mg	D1	2週毎	•										終																					
00 007	si de	= 1-1.1.11.6	デキサート	9.9 mg	D1 D0 D15										Н					\perp		r de			4	4			_		_		_	_	\vdash	_	_	\blacksquare
03-037	乳澏	テセントリク +nabPTX	アブラキサン	100 mg/m ²	D1、D8、D15		•		\vdash	_	_	•		_		\dashv	9			+		佟	+		_	-			4		+	H	4	4	₩	+	4	
		THAUFIA	テセントリク (d.i.v) パロノセトロン	840 mg/body 0.75 mg	D1、D15 D1、D15	4週毎	1	-	+		-	+		_	+	\vdash	•		\vdash		_	佟			+	-			+		+	H	+	+	\vdash	+	+	+
			デキサート	6.6 mg	D1、D15		1		+	+	-	•	+		+	+				+	_	佟	+	+	+	+		-	+	+	+		+	+	H	+	+	+
03-038	乳癌	EC療法	エピルビシン	90 mg/m ²	D1		•						-					+		+		佟		_	+	+	H	_	+	+	1		_	_	\Box		+	\blacksquare
			エンドキサン	600 mg/m ²	D1						_		+			H		+		+		佟			\top		H	1	+	+	+		-	+	H	\pm	+	H
			(p.o) アプレビタント	555 mg/ m	D1-D3	3週毎	• (• •										\top		+	ń	佟			+		H		-				-	_	Ħ	-	+	H
			(p.o) デカドロン	8 mg	D2-D4			• •	_	T	T			T	\Box	Ħ	T			T	á	佟		T	T	T	H		十		1	H	十	+	\sqcap	\Box	T	П
			(d.i.v) パロノセトロン	0.75 mg	D1		•														á	佟																
03-039	乳癌	トラスツズマプBS	_{デキサート} トラスツズマプBS	9.9 mg 初回:4 mg/kg	D1		•		\Box			•					•			\dagger		•						•	+				一	•	\blacksquare		t	\blacksquare
		+PTX (weekly)	パクリタキセル	2回目以降: 2 mg/kg					\vdash			-			+	\vdash				+		•						•	+					•	\vdash	_	#	\vdash
			(d.i.v) ガスター	80 mg/m ² 20 mg	D1	毎週12週連続投与	•		\vdash	-	+	-	-	+	+	+			$\vdash \vdash$	\forall		+	1	-	+				+				+	+	\forall	+	₩	
			ポララミン	5 mg	D1		•					•					•					•						•					1	•				
			デキサート	6.6 mg																																		4